

Breath Systems

“Guardian of Every Breath.”

Medical Ventilator Manufacturer

X800

TURBINE BASE VENTILATOR



TECHNICAL SPECIFICATIONS OF X-800

Available Modes	:	PCV, VCV, VACV, VSIMV, PSIMV, CPAP, BIPAP, HFT
Display	:	5" TFT Capacitive Medical Grade
Waveforms	:	Volume, Pressure
PEEP	:	0 To 30 cmH2O
Pressure Support	:	0 To 49 cmH2O
Respiratory Pressure	:	1 To 79 BPM
Inspiratory Pressure	:	5 To 99 cmH2O
Tidal Volume	:	40 To 2000 ml
Inspiratory Time	:	0.1 To 9.8 Sec
I:E Ratio	:	1:9.9 To 2.5:1
Trigger	:	Pressure (0 To -20 cmH2O)
FiO2	:	21 % To 100 %
Apnea Backup	:	Yes
Detachable Expiratory Valve	:	Yes
Battery Backup	:	Up to 12* Hrs.



FEATURE OF X800

Additional Settings for Ventilator :

SETTING PARAMETERS	
BODY WEIGHT	CPAP with Apnea Backup
VSIMV & PSIMV with Pressure Support	Pneumatic PEEP
Electronic Oxygen Blending	Patient Airway Pressure

Dedicated ventilator designed for use in patient transport. To provide automated, alveolar ventilatory support for patients during interhospital or intrahospital transport, and in emergency situations.

Capable of operation in various environments such as Emergency and Ambulance.

Use in patients weighing from 10 Kg to 110 Kg.

Therapy Type : Invasive Ventilation & Non-Invasive Ventilation, HFT
Mode's : PCV, VCV, VACV, VSIMV, PSIMV, BIPAP, CPAP, HFT



A powerful, ultra-quiet-turbine offers constant ventilation and patient comfort

Suitable for Adult, Pediatrics

Intra-Hospital and Out of Hospital Transport, Emergency Rooms, ICU and General Wards

Compact and Light Weight, Easy mobility

Long Lasting Battery time of Up to 12* Hrs. for smooth operations.

Address.:

BREATHX SYSTEMS.

Plot No. 801 , 2ND Floor, Daultabad Industrial Area,

Near Rajendra Park,

Gurgaon , Pin Code-122006.

Email.: support@breathxsystems.com | sales@breathxsystems.com

Contact No. 9217120700 / 9217138800